

# 消音型ダイヤ勾配可変側溝

レール側溝

Safety & Silent  
安全 静寂




# 消音型ダイヤ勾配可変側溝

## レール側溝の特徴

側溝本体と蓋との接触部分が二線及び二面で接触することにより、車両通行時の騒音の発生を防止する技術です。


### 【特徴】

1. 側溝本体は汎用製品の蓋を掛けることも可能です。
2. 側溝本体に偏心荷重が生じないため、より安全安心です。
3. 接触面の構造により、市街地で側溝上に車両が走行してもほとんど無騒音です。



# ダイヤ勾配可変側溝（レール側溝） L=2,000

## 形 状 図




## 規 格 表

単位 mm

| 呼び名<br>(幅×深さ) | 寸 法 |       |     |       |     |    |      |     |     |     | 参考質量<br>(kg) |
|---------------|-----|-------|-----|-------|-----|----|------|-----|-----|-----|--------------|
|               | B   | H     | a   | c     | c'  | d  | d'   | e   | h   | h'  |              |
| 300 × 300     | 500 | 447   | 300 | 300   | 95  | 45 | 51.5 | 50  | 97  | 100 | 322          |
| 400           |     | 547   |     | 400   |     |    | 52.5 | 55  |     | 150 | 399          |
| 500           |     | 647   |     | 500   |     |    |      |     |     |     | 450          |
| 600           |     | 747   |     | 600   |     |    | 54.5 | 65  |     | 160 | 558          |
| 700           |     | 847   |     | 700   |     |    |      |     |     |     | 618          |
| 800           |     | 947   |     | 800   |     |    | 56.5 | 75  |     | 170 | 754          |
| 900           |     | 1,047 |     | 900   |     |    |      |     |     |     | 824          |
| 1,000         |     | 1,147 |     | 1,000 |     |    | 58.5 | 85  |     | 180 | 986          |
| 1,100         |     | 1,247 |     | 1,100 |     |    |      |     |     |     | 1,065        |
| 400 × 400     | 610 | 562   | 400 | 400   | 110 | 50 |      |     | 112 | 160 | 474          |
| 500           |     | 662   |     | 500   |     |    | 54.5 | 60  |     |     | 532          |
| 600           |     | 762   |     | 600   |     |    |      |     |     |     | 588          |
| 700           |     | 862   |     | 700   |     |    | 58.5 | 70  |     | 170 | 710          |
| 800           |     | 962   |     | 800   |     |    |      |     |     |     | 775          |
| 900           |     | 1,062 |     | 900   |     |    | 58.5 | 80  |     | 180 | 924          |
| 1,000         |     | 1,162 |     | 1,000 |     |    |      |     |     |     | 999          |
| 1,100         |     | 1,262 |     | 1,100 |     |    | 61.0 | 90  |     | 190 | 1,175        |
| 1,200         |     | 1,362 |     | 1,200 |     |    |      |     |     |     | 1,295        |
| 500 × 400     | 720 | 577   | 500 | 400   | 125 | 55 | 54.5 | 60  | 127 | 160 | 532          |
| 500           |     | 677   |     | 500   |     |    |      |     |     |     | 587          |
| 600           |     | 777   |     | 600   |     |    |      |     |     |     | 710          |
| 700           |     | 877   |     | 700   |     |    | 56.5 | 70  |     | 170 | 775          |
| 800           |     | 977   |     | 800   |     |    |      |     |     |     | 840          |
| 900           |     | 1,077 |     | 900   |     |    |      |     |     |     | 1,032        |
| 1,000         |     | 1,177 |     | 1,000 |     |    | 59.5 | 85  |     | 180 | 1,111        |
| 1,100         |     | 1,277 |     | 1,100 |     |    |      |     |     |     | 1,190        |
| 1,200         |     | 1,377 |     | 1,200 |     |    |      |     |     |     | 1,383        |
| 1,300         |     | 1,477 |     | 1,300 |     |    | 61.0 | 95  |     | 190 | 1,471        |
| 1,400         |     | 1,577 |     | 1,400 |     |    |      |     |     |     | 1,559        |
| 600 × 400     | 830 | 592   | 600 | 400   | 140 | 60 |      |     | 142 | 170 | 633          |
| 500           |     | 692   |     | 500   |     |    | 56.5 | 65  |     |     | 694          |
| 600           |     | 792   |     | 600   |     |    |      |     |     |     | 754          |
| 700           |     | 892   |     | 700   |     |    |      |     |     |     | 885          |
| 800           |     | 992   |     | 800   |     |    | 59.0 | 75  |     | 180 | 955          |
| 900           |     | 1,092 |     | 900   |     |    |      |     |     |     | 1,024        |
| 1,000         |     | 1,192 |     | 1,000 |     |    |      |     |     |     | 1,234        |
| 1,100         |     | 1,292 |     | 1,100 |     |    | 61.5 | 90  |     | 190 | 1,318        |
| 1,200         |     | 1,392 |     | 1,200 |     |    |      |     |     |     | 1,402        |
| 1,300         |     | 1,492 |     | 1,300 |     |    |      |     |     |     | 1,608        |
| 1,400         |     | 1,592 |     | 1,400 |     |    | 63.0 | 100 |     | 200 | 1,701        |
| 1,500         |     | 1,692 |     | 1,500 |     |    |      |     |     |     | 1,794        |

# ダイヤ勾配可変側溝（レール側溝） L=1,500

## 形状図




## 規格表

単位 mm

| 呼び名<br>(幅×深さ) | 寸 法 |       |     |       |     |    |      |    |     |     | 参考質量<br>(kg) |
|---------------|-----|-------|-----|-------|-----|----|------|----|-----|-----|--------------|
|               | B   | H     | a   | c     | c'  | d  | d'   | e  | h   | h'  |              |
| 300 × 300     | 500 | 447   | 300 | 300   | 95  | 45 | 52.5 | 55 | 97  | 150 | 293          |
| 400           |     | 547   |     | 400   |     |    |      |    |     |     | 333          |
| 500           |     | 647   |     | 500   |     |    |      |    |     |     | 373          |
| 600           |     | 747   |     | 600   |     |    |      |    |     |     | 478          |
| 700           |     | 847   |     | 700   |     |    |      |    |     |     | 529          |
| 800           |     | 947   |     | 800   |     |    |      |    |     |     | 580          |
| 900           |     | 1,047 |     | 900   |     |    | 58.5 | 85 |     | 180 | 727          |
| 1,000         |     | 1,147 |     | 1,000 |     |    |      |    |     |     | 788          |
| 1,100         |     | 1,247 |     | 1,100 |     |    |      |    |     |     | 849          |
| 400 × 400     | 610 | 562   | 400 | 400   | 110 | 50 | 54.5 | 60 | 112 | 160 | 404          |
| 500           |     | 662   |     | 500   |     |    |      |    |     |     | 447          |
| 600           |     | 762   |     | 600   |     |    |      |    |     |     | 490          |
| 700           |     | 862   |     | 700   |     |    |      |    |     |     | 636          |
| 800           |     | 962   |     | 800   |     |    | 58.5 | 80 |     | 180 | 694          |
| 900           |     | 1,062 |     | 900   |     |    |      |    |     |     | 751          |
| 1,000         |     | 1,162 |     | 1,000 |     |    |      |    |     |     | 881          |
| 1,100         |     | 1,262 |     | 1,100 |     |    | 61.0 | 90 |     | 190 | 946          |
| 1,200         |     | 1,362 |     | 1,200 |     |    |      |    |     |     | 1,010        |

# ダイヤ勾配可変側溝（レール側溝） L=1,000

## 形状図




## 規格表

単位 mm

| 呼び名<br>(幅×深さ) | 寸 法 |       |     |       |     |     |    |      |     |     |     | 参考質量<br>(kg) |
|---------------|-----|-------|-----|-------|-----|-----|----|------|-----|-----|-----|--------------|
|               | B   | H     | a   | c     | c'  | c'' | d  | d'   | e   | h   | h'  |              |
| 300 × 300     | 500 | 447   | 300 | 285   | 110 | 95  | 45 | 52.5 | 55  | 97  | 150 | 178          |
| 400           |     | 547   |     | 385   |     |     |    |      |     |     |     | 203          |
| 500           |     | 647   |     | 485   |     |     |    |      |     |     |     | 228          |
| 600           |     | 747   |     | 585   |     |     |    |      |     |     |     | 297          |
| 700           |     | 847   |     | 685   |     |     |    | 56.5 | 70  | 97  | 165 | 329          |
| 800           |     | 947   |     | 785   |     |     |    |      |     |     |     | 362          |
| 900           |     | 1,047 |     | 885   |     |     |    | 58.5 | 85  | 97  | 180 | 458          |
| 1,000         |     | 1,147 |     | 985   |     |     |    |      |     |     |     | 497          |
| 1,100         |     | 1,247 |     | 1,085 |     |     |    |      |     |     |     | 536          |
| 400 × 400     | 610 | 562   | 400 | 385   | 125 | 110 | 50 | 54.5 | 60  | 112 | 160 | 243          |
| 500           |     | 662   |     | 485   |     |     |    |      |     |     |     | 271          |
| 600           |     | 762   |     | 585   |     |     |    |      |     |     |     | 299          |
| 700           |     | 862   |     | 685   |     |     |    |      |     |     |     | 376          |
| 800           |     | 962   |     | 785   |     |     |    | 58.5 | 80  | 112 | 180 | 411          |
| 900           |     | 1,062 |     | 885   |     |     |    |      |     |     |     | 446          |
| 1,000         |     | 1,162 |     | 985   |     |     |    | 61.0 | 90  | 112 | 190 | 551          |
| 1,100         |     | 1,262 |     | 1,085 |     |     |    |      |     |     |     | 592          |
| 1,200         |     | 1,362 |     | 1,185 |     |     |    |      |     |     |     | 634          |
| 500 × 400     | 720 | 577   | 500 | 390   | 135 | 125 | 55 | 56.5 | 80  | 127 | 175 | 313          |
| 500           |     | 677   |     | 490   |     |     |    |      |     |     |     | 350          |
| 600           |     | 777   |     | 590   |     |     |    |      |     |     |     | 387          |
| 700           |     | 877   |     | 690   |     |     |    |      |     |     |     | 424          |
| 800           |     | 977   |     | 790   |     |     |    | 61.0 | 95  | 127 | 190 | 461          |
| 900           |     | 1,077 |     | 890   |     |     |    |      |     |     |     | 561          |
| 1,000         |     | 1,177 |     | 990   |     |     |    | 63.0 | 100 | 142 | 200 | 605          |
| 1,100         |     | 1,277 |     | 1,090 |     |     |    |      |     |     |     | 649          |
| 1,200         |     | 1,377 |     | 1,190 |     |     |    |      |     |     |     | 693          |
| 1,300         |     | 1,477 |     | 1,290 |     |     |    |      |     |     |     | 737          |
| 1,400         |     | 1,577 |     | 1,390 |     |     |    |      |     |     |     | 781          |
| 600 × 400     | 830 | 592   | 600 | 390   | 150 | 140 | 60 | 59.0 | 85  | 142 | 185 | 361          |
| 500           |     | 692   |     | 490   |     |     |    |      |     |     |     | 401          |
| 600           |     | 792   |     | 590   |     |     |    |      |     |     |     | 440          |
| 700           |     | 892   |     | 690   |     |     |    |      |     |     |     | 479          |
| 800           |     | 992   |     | 790   |     |     |    | 63.0 | 100 | 142 | 200 | 519          |
| 900           |     | 1,092 |     | 890   |     |     |    |      |     |     |     | 558          |
| 1,000         |     | 1,192 |     | 990   |     |     |    | 63.0 | 100 | 142 | 200 | 669          |
| 1,100         |     | 1,292 |     | 1,090 |     |     |    |      |     |     |     | 715          |
| 1,200         |     | 1,392 |     | 1,190 |     |     |    |      |     |     |     | 761          |
| 1,300         |     | 1,492 |     | 1,290 |     |     |    |      |     |     |     | 807          |
| 1,400         |     | 1,592 |     | 1,390 |     |     |    |      |     |     |     | 853          |
| 1,500         |     | 1,692 |     | 1,490 |     |     |    |      |     |     |     | 900          |

# ダイヤ勾配可変側溝（レール側溝）ふた

## 形状図



## 規格表


単位 mm

| 呼　　び　　名 | 寸　法　表 |     |    |     |     | 重量<br>(kg) |
|---------|-------|-----|----|-----|-----|------------|
|         | a     | a′  | b  | t   | L   |            |
| 300     | 400   | 380 | 10 | 95  | 333 | 27         |
|         |       |     |    |     | 500 | 40         |
| 400     | 500   | 480 |    | 110 | 333 | 41         |
|         |       |     |    |     | 500 | 60         |
| 500     | 600   | 580 |    | 125 | 500 | 84         |
| 600     | 700   | 680 |    | 140 | 500 | 109        |

# ダイヤ勾配可変側溝 コーナー 45°

## 形 状 図

( )内は、400用




## 規 格 表

単位 mm

| 呼び名<br>(幅×深さ) | 寸 法 |       |     |       |     |    |      |    |     |     | 参考質量<br>(kg) |
|---------------|-----|-------|-----|-------|-----|----|------|----|-----|-----|--------------|
|               | B   | H     | a   | c     | c'  | d  | d'   | e  | h   | h'  |              |
| 300 × 300     | 500 | 447   | 300 | 285   | 110 | 45 | 58.5 | 85 | 97  | 180 | 205          |
| 400           |     | 547   |     | 385   |     |    |      |    |     |     | 236          |
| 500           |     | 647   |     | 485   |     |    |      |    |     |     | 267          |
| 600           |     | 747   |     | 585   |     |    |      |    |     |     | 350          |
| 700           |     | 847   |     | 685   |     |    |      |    |     |     | 389          |
| 800           |     | 947   |     | 785   |     |    |      |    |     |     | 428          |
| 900           |     | 1,047 |     | 885   |     |    |      |    |     |     | 544          |
| 1,000         |     | 1,147 |     | 985   |     |    |      |    |     |     | 591          |
| 1,100         |     | 1,247 |     | 1,085 |     |    |      |    |     |     | 639          |
| 400 × 400     | 610 | 562   | 400 | 385   | 125 | 50 | 61.0 | 90 | 112 | 190 | 288          |
| 500           |     | 662   |     | 485   |     |    |      |    |     |     | 323          |
| 600           |     | 762   |     | 585   |     |    |      |    |     |     | 358          |
| 700           |     | 862   |     | 685   |     |    |      |    |     |     | 455          |
| 800           |     | 962   |     | 785   |     |    |      |    |     |     | 499          |
| 900           |     | 1,062 |     | 885   |     |    |      |    |     |     | 543          |
| 1,000         |     | 1,162 |     | 985   |     |    |      |    |     |     | 674          |
| 1,100         |     | 1,262 |     | 1,085 |     |    |      |    |     |     | 727          |
| 1,200         |     | 1,362 |     | 1,185 |     |    |      |    |     |     | 779          |

# ダイヤ勾配可変側溝 コーナー 90°

## 形状図



## 規格表


単位 mm

| 呼び名<br>(幅 × 深さ) | 寸 法 |       |     |       |     |    |      |    |     |     | 参考質量<br>(kg) |
|-----------------|-----|-------|-----|-------|-----|----|------|----|-----|-----|--------------|
|                 | B   | H     | a   | c     | c'  | d  | d'   | e  | h   | h'  |              |
| 300 × 300       | 500 | 447   | 300 | 285   | 110 | 45 | 58.5 | 85 | 97  | 180 | 244          |
| 400             |     | 547   |     | 385   |     |    |      |    |     |     | 282          |
| 500             |     | 647   |     | 485   |     |    |      |    |     |     | 320          |
| 600             |     | 747   |     | 585   |     |    |      |    |     |     | 423          |
| 700             |     | 847   |     | 685   |     |    |      |    |     |     | 472          |
| 800             |     | 947   |     | 785   |     |    |      |    |     |     | 520          |
| 900             |     | 1,047 |     | 885   |     |    |      |    |     |     | 664          |
| 1,000           |     | 1,147 |     | 985   |     |    |      |    |     |     | 723          |
| 1,100           |     | 1,247 |     | 1,085 |     |    |      |    |     |     | 739          |
| 400 × 400       | 610 | 562   | 400 | 385   | 125 | 50 | 61.0 | 90 | 112 | 190 | 351          |
| 500             |     | 662   |     | 485   |     |    |      |    |     |     | 396          |
| 600             |     | 762   |     | 585   |     |    |      |    |     |     | 440          |
| 700             |     | 862   |     | 685   |     |    |      |    |     |     | 565          |
| 800             |     | 962   |     | 785   |     |    |      |    |     |     | 621          |
| 900             |     | 1,062 |     | 885   |     |    |      |    |     |     | 677          |
| 1,000           |     | 1,162 |     | 985   |     |    |      |    |     |     | 846          |
| 1,100           |     | 1,262 |     | 1,085 |     |    |      |    |     |     | 913          |
| 1,200           |     | 1,362 |     | 1,185 |     |    |      |    |     |     | 981          |



# ダイヤ勾配可変側溝ふた

## 形状図




## 規格表

単位 mm


| 呼 び 名 |     | 寸 法 表 |     |    |     |    |     | 重量<br>(kg) |     |     |     |
|-------|-----|-------|-----|----|-----|----|-----|------------|-----|-----|-----|
|       |     | a     | a′  | b  | t   | t′ | L   |            |     |     |     |
| 車道用   | 300 | 400   | 380 | 10 | 95  | —  | 333 | 27         |     |     |     |
|       |     |       |     |    |     |    | 500 | 41         |     |     |     |
|       | 400 | 500   | 480 |    | 110 |    | 333 | 40         |     |     |     |
|       |     |       |     |    |     |    | 500 | 60         |     |     |     |
|       |     |       |     |    | 500 |    | 600 | 580        | 125 | 500 | 84  |
|       |     |       |     |    |     |    |     |            | 600 | 700 | 680 |
| 歩道用   | 300 | 400   | 280 | 10 | 95  | 55 | 500 | 31         |     |     |     |
|       | 400 | 500   | 380 |    | 110 | 65 | 500 | 43         |     |     |     |
|       | 500 | 600   | 480 |    | 125 | 70 | 500 | 57         |     |     |     |
|       | 600 | 700   | 580 |    | 140 | 80 | 500 | 75         |     |     |     |

## 形状図

隅切り用蓋 45°



隅切り用蓋 90°




## 規格表

単位 mm

| 呼び名           | 寸法表 |     |    |     |     |     | 重量<br>(kg) |
|---------------|-----|-----|----|-----|-----|-----|------------|
|               | a   | a'  | b  | t   | L1  | L2  |            |
| 300 隅切り用蓋 45° | 400 | 380 | 10 | 95  | 435 | 270 | 30         |
| 400 隅切り用蓋 45° | 500 | 480 |    | 110 | 478 | 272 | 46         |
| 300 隅切り用蓋 90° | 400 | 380 |    | 95  | 698 | 299 | 50         |
| 400 隅切り用蓋 90° | 500 | 480 |    | 110 | 803 | 304 | 66         |

# 基礎板




規格表

| 呼び名  | 寸 法 (mm) |     |     |     |     |     |    |      | 重量    |
|------|----------|-----|-----|-----|-----|-----|----|------|-------|
|      | a        | b   | c   | d   | e   | f   | t  | L    |       |
| 300型 | 560      | 300 | 400 | 599 | 205 | 150 | 60 | 1999 | 147kg |
| 400型 | 670      | 300 | 400 | 599 | 260 | 150 | 60 | 1999 | 180kg |

※L=1,000も製造できます。

# 横断用可変側溝 L=2,000

## 形状図




## 規格表

単位 mm

| 呼び名<br>(幅×深さ) | 寸 法   |       |       |       |       |      |       |       |       |     |     | 参考質量<br>(kg) |     |      |    |    |     |   |   |
|---------------|-------|-------|-------|-------|-------|------|-------|-------|-------|-----|-----|--------------|-----|------|----|----|-----|---|---|
|               | B     | H     | a     | c     | c′    | c″   | d     | d′    | e     | h   | h′  |              |     |      |    |    |     |   |   |
| 300 × 300     | 520   | 445   | 300   | 285   | 110   | 68.5 | 57    | 61    | 80    | 110 | 200 | 475          |     |      |    |    |     |   |   |
| 400           |       | 545   |       | 385   |       |      |       |       |       |     |     | 550          |     |      |    |    |     |   |   |
| 500           |       | 645   |       | 485   |       |      |       |       |       |     |     | 624          |     |      |    |    |     |   |   |
| 600           |       | 745   |       | 585   |       |      |       |       |       |     |     | 780          |     |      |    |    |     |   |   |
| 700           |       | 845   |       | 685   |       |      |       |       | 300   |     | 868 |              |     |      |    |    |     |   |   |
| 800           |       | 945   |       | 785   |       |      |       |       |       |     | 957 |              |     |      |    |    |     |   |   |
| 900           |       | 1,045 |       | 885   |       |      |       |       |       |     | —   | 1,155        |     |      |    |    |     |   |   |
| 1,000         |       | 1,145 |       | 985   |       |      |       |       |       |     |     | 1,257        |     |      |    |    |     |   |   |
| 1,100         |       | 1,245 |       | 1,085 |       |      |       |       | 1,359 |     |     |              |     |      |    |    |     |   |   |
| 400 × 400     | 630   | 560   | 400   | 385   | 125   | 75   | 61    | 64.5  | 85    | —   | —   | 728          |     |      |    |    |     |   |   |
| 500           |       | 660   |       | 485   |       |      |       |       |       |     |     | 835          |     |      |    |    |     |   |   |
| 600           |       | 760   |       | 585   |       |      |       |       |       |     |     | 942          |     |      |    |    |     |   |   |
| 700           |       | 860   |       | 685   |       |      |       |       |       |     |     | 1,049        |     |      |    |    |     |   |   |
| 800           |       | 960   |       | 785   |       |      |       |       | 115   |     |     | 1,156        |     |      |    |    |     |   |   |
| 900           |       | 1,060 |       | 885   |       |      |       |       |       |     |     | 1,263        |     |      |    |    |     |   |   |
| 1,000         |       | 1,160 |       | 985   |       |      |       | 1,370 |       |     |     |              |     |      |    |    |     |   |   |
| 1,100         |       | 1,260 |       | 1,085 |       |      |       | 1,477 |       |     |     |              |     |      |    |    |     |   |   |
| 1,200         |       | 1,360 |       | 1,185 |       |      |       | 1,584 |       |     |     |              |     |      |    |    |     |   |   |
| 500 × 400     |       | 750   |       | 575   |       |      |       | 500   |       |     |     | 385          | 140 | 86.5 | 71 | 68 | 125 | — | — |
| 500           |       |       |       | 675   |       |      |       |       | 485   |     |     | 1,002        |     |      |    |    |     |   |   |
| 600           |       |       |       | 775   |       |      |       |       | 585   |     |     | 1,124        |     |      |    |    |     |   |   |
| 700           | 875   |       | 685   | 1,246 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 800           | 975   |       | 785   | 1,368 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 900           | 1,075 |       | 885   | 1,490 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,000         | 1,175 |       | 985   | 1,612 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,100         | 1,275 |       | 1,085 | 1,734 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,200         | 1,375 |       | 1,185 | 1,856 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,300         | 1,475 |       | 1,285 | 1,978 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,400         | 1,575 |       | 1,385 | 2,100 |       |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 600 × 400     | 860   |       | 590   | 600   | 385   | 155  | 101.5 |       | 76    | 70  | 130 | —            |     |      |    |    |     |   |   |
| 500           |       | 690   | 485   |       | 1,120 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 600           |       | 790   | 585   |       | 1,247 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 700           |       | 890   | 685   |       | 1,374 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 800           |       | 990   | 785   |       | 1,501 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 900           |       | 1,090 | 885   |       | 1,628 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,000         |       | 1,190 | 985   |       | 1,755 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,100         |       | 1,290 | 1,085 |       | 1,882 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,200         |       | 1,390 | 1,185 |       | 2,009 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,300         |       | 1,490 | 1,285 |       | 2,136 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,400         |       | 1,590 | 1,385 |       | 2,263 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |
| 1,500         |       | 1,690 | 1,485 |       | 2,390 |      |       |       |       |     |     |              |     |      |    |    |     |   |   |

# 横断用可変側溝 L=1,500

## 形状図



## 規格表


単位 mm

| 呼び名(幅×深さ) | 寸法  |       |     |     |       |     |       |    |      |     |     |     |       | 参考質量<br>(kg) |
|-----------|-----|-------|-----|-----|-------|-----|-------|----|------|-----|-----|-----|-------|--------------|
|           | B   | H     | a   | a'  | c     | c'  | c''   | d  | d'   | e   | h   | h'  | ℓ     |              |
| 300 × 300 | 520 | 445   | 300 | 277 | 335   | 110 | 68.5  | 57 | 61   | 95  | 110 | 300 | 495   | 430          |
| 400       |     | 545   |     |     | 435   |     |       |    |      |     |     |     |       | 498          |
| 500       |     | 645   |     |     | 535   |     |       |    |      |     |     |     |       | 566          |
| 600       |     | 745   |     |     | 635   |     |       |    |      |     |     |     |       | 634          |
| 700       |     | 845   |     |     | 735   |     |       |    |      |     |     |     |       | 702          |
| 800       |     | 945   |     |     | 835   |     |       |    |      |     |     |     |       | 770          |
| 900       |     | 1,045 |     |     | 935   |     |       |    |      |     |     |     |       | 854          |
| 1,000     |     | 1,145 |     |     | 1,035 |     |       |    |      |     |     |     |       | 980          |
| 1,100     |     | 1,245 |     |     | 1,135 |     |       |    |      |     |     |     |       | 1,065        |
| 400 × 400 | 630 | 560   | 400 | 373 | 435   | 125 | 75    | 61 | 64.5 | 115 | -   | -   | 495   | 580          |
| 500       |     | 660   |     |     | 535   |     |       |    |      |     |     |     |       | 670          |
| 600       |     | 760   |     |     | 635   |     |       |    |      |     |     |     |       | 760          |
| 700       |     | 860   |     |     | 735   |     |       |    |      |     |     |     |       | 850          |
| 800       |     | 960   |     |     | 835   |     |       |    |      |     |     |     |       | 940          |
| 900       |     | 1,060 |     |     | 935   |     |       |    |      |     |     |     |       | 1,030        |
| 1,000     |     | 1,160 |     |     | 1,035 |     |       |    |      |     |     |     |       | 1,120        |
| 1,100     |     | 1,260 |     |     | 1,135 |     |       |    |      |     |     |     |       | 1,210        |
| 1,200     |     | 1,360 |     |     | 1,235 |     |       |    |      |     |     |     |       | 1,300        |
| 500 × 400 | 750 | 575   | 500 | 472 | 435   | 140 | 86.5  | 71 | 68   | 125 | -   | -   | 494.5 | 713          |
| 500       |     | 675   |     |     | 535   |     |       |    |      |     |     |     |       | 807          |
| 600       |     | 775   |     |     | 635   |     |       |    |      |     |     |     |       | 895          |
| 700       |     | 875   |     |     | 735   |     |       |    |      |     |     |     |       | 987          |
| 800       |     | 975   |     |     | 835   |     |       |    |      |     |     |     |       | 1,075        |
| 900       |     | 1,075 |     |     | 935   |     |       |    |      |     |     |     |       | 1,166        |
| 1,000     |     | 1,175 |     |     | 1,035 |     |       |    |      |     |     |     |       | 1,255        |
| 1,100     |     | 1,275 |     |     | 1,135 |     |       |    |      |     |     |     |       | 1,346        |
| 1,200     |     | 1,375 |     |     | 1,235 |     |       |    |      |     |     |     |       | 1,435        |
| 1,300     |     | 1,475 |     |     | 1,335 |     |       |    |      |     |     |     |       | 1,526        |
| 1,400     |     | 1,575 |     |     | 1,435 |     |       |    |      |     |     |     |       | 1,615        |
| 600 × 400 | 860 | 590   | 600 | 568 | 435   | 155 | 101.5 | 76 | 70   | 130 | -   | -   | 494.5 | 810          |
| 500       |     | 690   |     |     | 535   |     |       |    |      |     |     |     |       | 901          |
| 600       |     | 790   |     |     | 635   |     |       |    |      |     |     |     |       | 997          |
| 700       |     | 890   |     |     | 735   |     |       |    |      |     |     |     |       | 1,088        |
| 800       |     | 990   |     |     | 835   |     |       |    |      |     |     |     |       | 1,181        |
| 900       |     | 1,090 |     |     | 935   |     |       |    |      |     |     |     |       | 1,295        |
| 1,000     |     | 1,190 |     |     | 1,035 |     |       |    |      |     |     |     |       | 1,369        |
| 1,100     |     | 1,290 |     |     | 1,135 |     |       |    |      |     |     |     |       | 1,462        |
| 1,200     |     | 1,390 |     |     | 1,235 |     |       |    |      |     |     |     |       | 1,556        |
| 1,300     |     | 1,490 |     |     | 1,335 |     |       |    |      |     |     |     |       | 1,649        |
| 1,400     |     | 1,590 |     |     | 1,435 |     |       |    |      |     |     |     |       | 1,745        |
| 1,500     |     | 1,690 |     |     | 1,535 |     |       |    |      |     |     |     |       | 1,839        |


# 横断用グレーチング（ボルト固定式）

## 形状図

受枠 L=2,000 (L=1,500)



本体




## 規格表

単位 mm

| 呼び名   | 受枠  | 本体  |      |    |
|-------|-----|-----|------|----|
|       | A   | a   | H    | h  |
| 300 型 | 520 | 400 | 64.5 | 55 |
| 400 型 | 630 | 500 | 74.5 | 65 |
| 500 型 | 750 | 600 | 84.5 | 75 |
| 600 型 | 860 | 700 | 99.5 | 90 |

# 横断用基礎板

形状図



規格表

| 呼び名 | 寸 法 (mm) |     |       |     |       |
|-----|----------|-----|-------|-----|-------|
|     | a        | b   | c     | t   | L     |
| 300 | 620      | 400 | 1,200 | 100 | 2,000 |
| 400 | 730      | 400 | 1,200 | 100 | 2,000 |